ELSEVIER

Neuroscience Letters 352 (2003) 234–237

Neuroscience Letters

www.elsevier.com/locate/neulet

Author Index to Volume 352

Aaltonen, O., see Peltola, M.S., 25
Ábrahám, C.S., see Veszelka, S., 57
Aerts, L., see Harder, T., 163
Ahn, D.K., see Choi, H.S., 187
Alafuzoff, I., see Iivonen, S., 146
Alden, T., see Okonkwo, D.O., 97
Arpino, C., see Lucarelli, P., 29
Asanuma, M., Tsuji, T., Miyazaki, I., Miyoshi, K., Ogawa, N., Methamphetamine-induced neurotoxicity in mouse brain is attenuated by ketoprofen, a non-steroidal anti-inflammatory drug, 13
Ashraf, Q.M., see Fritz, K.I., 211
Auindix for Nsl 352
Azuma, T., see Ito, T., 207

Bailey, K., see Tian, J., 137
Bär, P.R., see Groeneveld, G.J., 175
Barrios, V., see Lauzurica, N., 226
Bauer, P., see Felletschin, B., 53
Baumgartner, C., see Furtinger, S., 141
Becker, G., see Felletschin, B., 53
Behnke, S., see Felletschin, B., 53
Benveniste, E.N., see Choi, K., 21
Berg, D., see Felletschin, B., 53
Bernášková, K., see Doczi, J., 125
Birbaumer, N., see Kotchoubey, B., 129
Blennow, K., see Zetterberg, H., 67
Blum, D., see Chtarto, A., 155
Bostanov, V., see Kotchoubey, B., 129
Brand, G., see Michael, G.A., 221
Bronge, L., see Gomes, A.C., 101
Brotchi, J., see Chtarto, A., 155

Cearley, C., Churchill, L., Krueger, J.M., Time of day differences in IL1β and TNFα mRNA levels in specific regions of the rat brain, 61
Chang, H.-K., see Lee, H.-H., 33
Chen, H.-Z., see Qiu, Y., 41
Chentanez, T., see Parnpiansil, P., 45
Choi, C., see Choi, K., 21
Choi, H.J., Kim, S.W., Im, J.H., Lee, S.-G., Kim, M., Hwang, O., Utilization of exogenous tetrahydrobiopterin in nitric oxide synthesis in human neuroblastoma cell line, 89
Choi, H.S., Lee, H.J., Jung, C.Y., Ju, J.S., Park, J.S., Ahn, D.K., Central cyclooxygenase-2 participates in interleukin-1β-induced hyperalgesia in the orofacial formalin test of freely moving rats, 187
Choi, K., Benveniste, E.N., Choi, C., Induction of intercellular adhesion molecule-1 by Fas ligation: proinflammatory roles of Fas in human astroglioma cells, 21
Chtarto, A., Tenenbaum, L., Velu, T., Brotchi, J., Levivier, M., Blum, D., Minocycline-induced activation of tetracycline-responsive promoter, 155
Chung, K.C., see Lee, Y.M., 17
Churchill, L., see Cearley, C., 61
Constandil, L., see Laurido, C., 64
Csoti, I., see Felletschin, B., 53
Curatolo, P., see Lucarelli, P., 29
Czech, T., see Furtinger, S., 141

D'Andrea, J., see Semenza, C., 73
Díaz, J.-L., see Vargas-Pérez, H., 81
Détari, L., see Doczi, J., 125
Daum, I., see Kress, T., 133
de Leeuw van Weenen, J., see Groeneveld, G.J., 175
Deisenhammer, E.A., see Weiss, E.M., 191
Delazer, M., see Weiss, E.M., 191
Delgado, M., see Lauzurica, N., 226
Deli, M.A., see Veszelka, S., 57
Delivoria-Papadopoulos, M., see Fritz, K.I., 211
Doczi, J., Bernášková, K., Kubová, H., Détari, L., Világi, I., Druga, R., Mareš, P., Long-term changes of activity of cortical neurons after status epilepticus induced at early developmental stages in rats, 125
Druga, R., see Doczi, J., 125
Dung, N.T.K., see Veszelka, S., 57

Ebe, K., see Uchiyama, Y., 199
Ek, M., see Peltola, M.S., 25
Escartí, A., see Lauzurica, N., 226

Fahrenkrog, S., see Harder, T., 163
Felber, S., see Weiss, E.M., 191
Felletschin, B., Bauer, P., Walter, U., Behnke, S., Spiegel, J., Csoti, I., Sommer, U., Zeiler, B., Becker, G., Riess, O., Berg, D., Screening for mutations of the ferritin light and heavy genes in Parkinson's disease patients with hyperechogenicity of the substantia nigra, 53
Fleischhacker, W.W., see Weiss, E.M., 191
Fook-Chong, S., see Lo, Y.L., 85
Franke, K., see Harder, T., 163
Fritz, K.I., Zubrow, A.B., Ashraf, Q.M., Mishra, O.P., Delivoria-Papadopoulos, M., The effect of hypocapnia ($PaCO_2$ 27 mmHg) on CaM kinase IV activity, Bax/Bcl-2 protein expression and DNA fragmentation in the cerebral cortex of newborn piglets, 211
Fuentes, J.A., see Lauzurica, N., 226
Furtinger, S., Pirker, S., Czech, T., Baumgartner, C., Sperk, G., Increased expression of γ-aminobutyric acid type B receptors in the hippocampus of patients with temporal lobe epilepsy, 141

García-Camba, E., see Lauzurica, N., 226
Gemba, H., see Ohishi, H., 5
Gibert-Rahola, J., see Gutiérrez, M., 37

doi:10.1016/S0304-3940(03)01284-9

ELSEVIER

Neuroscience Letters 352 (2003) 234–237

Neuroscience Letters

www.elsevier.com/locate/neulet

Author Index to Volume 352

Aaltonen, O., see Peltola, M.S., 25
Ábrahám, C.S., see Veszelka, S., 57
Aerts, L., see Harder, T., 163
Ahn, D.K., see Choi, H.S., 187
Alafuzoff, I., see Iivonen, S., 146
Alden, T., see Okonkwo, D.O., 97
Arpino, C., see Lucarelli, P., 29
Asanuma, M., Tsuji, T., Miyazaki, I., Miyoshi, K., Ogawa, N., Methamphetamine-induced neurotoxicity in mouse brain is attenuated by ketoprofen, a non-steroidal anti-inflammatory drug, 13
Ashraf, Q.M., see Fritz, K.I., 211
Auindix for Nsl 352
Azuma, T., see Ito, T., 207

Bailey, K., see Tian, J., 137
Bär, P.R., see Groeneveld, G.J., 175
Barrios, V., see Lauzurica, N., 226
Bauer, P., see Felletschin, B., 53
Baumgartner, C., see Furtinger, S., 141
Becker, G., see Felletschin, B., 53
Behnke, S., see Felletschin, B., 53
Benveniste, E.N., see Choi, K., 21
Berg, D., see Felletschin, B., 53
Bernášková, K., see Doczi, J., 125
Birbaumer, N., see Kotchoubey, B., 129
Blennow, K., see Zetterberg, H., 67
Blum, D., see Chtarto, A., 155
Bostanov, V., see Kotchoubey, B., 129
Brand, G., see Michael, G.A., 221
Bronge, L., see Gomes, A.C., 101
Brotchi, J., see Chtarto, A., 155

Cearley, C., Churchill, L., Krueger, J.M., Time of day differences in IL1β and TNFα mRNA levels in specific regions of the rat brain, 61
Chang, H.-K., see Lee, H.-H., 33
Chen, H.-Z., see Qiu, Y., 41
Chentanez, T., see Parnpiansil, P., 45
Choi, C., see Choi, K., 21
Choi, H.J., Kim, S.W., Im, J.H., Lee, S.-G., Kim, M., Hwang, O., Utilization of exogenous tetrahydrobiopterin in nitric oxide synthesis in human neuroblastoma cell line, 89
Choi, H.S., Lee, H.J., Jung, C.Y., Ju, J.S., Park, J.S., Ahn, D.K., Central cyclooxygenase-2 participates in interleukin-1β-induced hyperalgesia in the orofacial formalin test of freely moving rats, 187
Choi, K., Benveniste, E.N., Choi, C., Induction of intercellular adhesion molecule-1 by Fas ligation: proinflammatory roles of Fas in human astroglioma cells, 21
Chtarto, A., Tenenbaum, L., Velu, T., Brotchi, J., Levivier, M., Blum, D., Minocycline-induced activation of tetracycline-responsive promoter, 155
Chung, K.C., see Lee, Y.M., 17
Churchill, L., see Cearley, C., 61
Constandil, L., see Laurido, C., 64
Csoti, I., see Felletschin, B., 53
Curatolo, P., see Lucarelli, P., 29
Czech, T., see Furtinger, S., 141

D'Andrea, J., see Semenza, C., 73
Díaz, J.-L., see Vargas-Pérez, H., 81
Détari, L., see Doczi, J., 125
Daum, I., see Kress, T., 133
de Leeuw van Weenen, J., see Groeneveld, G.J., 175
Deisenhammer, E.A., see Weiss, E.M., 191
Delazer, M., see Weiss, E.M., 191
Delgado, M., see Lauzurica, N., 226
Deli, M.A., see Veszelka, S., 57
Delivoria-Papadopoulos, M., see Fritz, K.I., 211
Doczi, J., Bernášková, K., Kubová, H., Détari, L., Világi, I., Druga, R., Mareš, P., Long-term changes of activity of cortical neurons after status epilepticus induced at early developmental stages in rats, 125
Druga, R., see Doczi, J., 125
Dung, N.T.K., see Veszelka, S., 57

Ebe, K., see Uchiyama, Y., 199
Ek, M., see Peltola, M.S., 25
Escartí, A., see Lauzurica, N., 226

Fahrenkrog, S., see Harder, T., 163
Felber, S., see Weiss, E.M., 191
Felletschin, B., Bauer, P., Walter, U., Behnke, S., Spiegel, J., Csoti, I., Sommer, U., Zeiler, B., Becker, G., Riess, O., Berg, D., Screening for mutations of the ferritin light and heavy genes in Parkinson's disease patients with hyperechogenicity of the substantia nigra, 53
Fleischhacker, W.W., see Weiss, E.M., 191
Fook-Chong, S., see Lo, Y.L., 85
Franke, K., see Harder, T., 163
Fritz, K.I., Zubrow, A.B., Ashraf, Q.M., Mishra, O.P., Delivoria-Papadopoulos, M., The effect of hypocapnia ($PaCO_2$ 27 mmHg) on CaM kinase IV activity, Bax/Bcl-2 protein expression and DNA fragmentation in the cerebral cortex of newborn piglets, 211
Fuentes, J.A., see Lauzurica, N., 226
Furtinger, S., Pirker, S., Czech, T., Baumgartner, C., Sperk, G., Increased expression of γ-aminobutyric acid type B receptors in the hippocampus of patients with temporal lobe epilepsy, 141

García-Camba, E., see Lauzurica, N., 226
Gemba, H., see Ohishi, H., 5
Gibert-Rahola, J., see Gutiérrez, M., 37

doi:10.1016/S0304-3940(03)01284-9

Gibson, A.M., see Morris, C.M., 151
Giordano, M., see Vargas-Pérez, H., 81
Golaszewski, S., see Weiss, E.M., 191
Gomes, A.C., Morris, M., Stawiarz, L., Jönsson, G., Putheti, P., Bronge, L., Link, H., Hillert, J., Decreased levels of CD95 and caspase-8 mRNA in multiple sclerosis patients with gadolinium-enhancing lesions on MRI, 101
González-Valdemoro, M.I., see Lauzurica, N., 226
Groeneveld, G.J., de Leeuw van Weenen, J., van Muiswinkel, F.L., Veldman, H., Veldink, J.H., Wokke, J.H.J., Bär, P.R., van den Berg, L.H., Zinc amplifies mSOD1-mediated toxicity in a transgenic mouse model of amyotrophic lateral sclerosis, 175
Gutiérrez, M., Ortega-Álvaro, A., Gibert-Rahola, J., Micó, J.A., Interactions of acute morphine with chronic imipramine and fluvoxamine treatment on the antinociceptive effect in arthritic rats, 37

Harder, T., Franke, K., Fahrenkrog, S., Aerts, L., Van Bree, R., Van Assche, F.A., Plagemann, A., Prevention by maternal pancreatic islet transplantation of hypothalamic malformation in offspring of diabetic mother rats is already detectable at weaning, 163
Hardy, J.A., see Morris, C.M., 151
Helisalmi, S., see Iivonen, S., 146
Helm, G.A., see Okonkwo, D.O., 97
Herb, E., see Kotchoubey, B., 129
Hernández, A., see Laurido, C., 64
Hillert, J., see Gomes, A.C., 101
Hiltunen, M., see Iivonen, S., 146
Hofer, A., see Weiss, E.M., 191
Hofer, D., see Quasthoff, S., 93
Hoptman, M.J., see Weiss, E.M., 191
Hoshi, Y., see Tanosaki, M., 1
Huang, M., see Yan, P.G., 183
Hurtado, A., see Lauzurica, N., 226
Hwang, O., see Choi, H.J., 89

Ichikawa, J., see Ohishi, H., 5
Ichimura, M., see Shindou, T., 167
Iguchi, Y., see Tanosaki, M., 1
Iivonen, S., Helisalmi, S., Mannermaa, A., Alafuzoff, I., Lehtovirta, M., Soininen, H., Hiltunen, M., Heparan sulfate proteoglycan 2 polymorphism in Alzheimer's disease and correlation with neuropathology, 146
Im, J.H., see Choi, H.J., 89
Inagaki, S., Katura, T., Kawaguchi, H., Song, W.-J., Isolation of neural activities from respiratory and heartbeat noises for in vivo optical recording in guinea pigs using independent component analysis, 9
Inoue, H., Jiang, X.-F., Katayama, T., Osada, S., Umesono, K., Namura, S., Brain protection by resveratrol and fenofibrate against stroke requires peroxisome proliferator-activated receptor α in mice, 203
Ise, Y., see Narita, M., 231
Ito, T., Azuma, T., Yamashita, N., Anticipatory control in the initiation of a single step under biomechanical constraints in humans, 207

Jacquot, L., see Michael, G.A., 221
Jane Sr., J.A., see Okonkwo, D.O., 97
Jang, M.-H., see Lee, H.-H., 33
Jáuregui, I., see Lauzurica, N., 226
Jeong, I.-G., see Lee, H.-H., 33
Jia, H.-T., see Li, S.-Y., 105
Jiang, X.-F., see Inoue, H., 203
Jiang, Y., Yang, W., Zhou, Y., Ma, L., Up-regulation of murine double minute clone 2 (MDM2) gene expression in rat brain after morphine, heroin, and cocaine administrations, 216
Jönsson, G., see Gomes, A.C., 101
Ju, J.S., see Choi, H.S., 187
Jung, C.Y., see Choi, H.S., 187
Jutapakdeegul, N., see Parnpiansil, P., 45

Kase, H., see Shindou, T., 167
Katamine, S., see Yukitake, M., 171
Katayama, T., see Inoue, H., 203
Katura, T., see Inagaki, S., 9
Kawaguchi, H., see Inagaki, S., 9
Kelland, E.E., see Law, W., 113
Kieseier, B.C., see Quasthoff, S., 93
Kikuchi, S., see Onda, A., 49
Kim, C.-J., see Lee, H.-H., 33
Kim, H., see Lee, H.-H., 33
Kim, M., see Choi, H.J., 89
Kim, S.W., see Choi, H.J., 89
Kim, Y.-P., see Lee, H.-H., 33
Koch, B., see McCleane, G., 117
Kõks, S., see Nelovkov, A., 179
Kotchabhakdi, N., see Parnpiansil, P., 45
Kotchoubey, B., Lang, S., Herb, E., Maurer, P., Schmalohr, D., Bostanov, V., Birbaumer, N., Stimulus complexity enhances auditory discrimination in patients with extremely severe brain injuries, 129
Kozato, A., see Uchiyama, Y., 199
Kremser, C., see Weiss, E.M., 191
Kress, T., Daum, I., Event-related potentials reflect impaired face recognition in patients with congenital prosopagnosia, 133
Krueger, J.M., see Cearley, C., 61
Kubová, H., see Doczi, J., 125
Kujala, T., see Peltola, M.S., 25
Kuroda, Y., see Yukitake, M., 171
Kyuhou, S.-i., see Ohishi, H., 5

Labrakakis, C., MacDermott, A.B., Neurokinin receptor 1-expressing spinal cord neurons in lamina I and III/IV of postnatal rats receive inputs from capsaicin sensitive fibers, 121
Lang, S., see Kotchoubey, B., 129
Larsson, K., see Onda, A., 49
Lau, D.P.C., see Lo, Y.L., 85
Laurido, C., Hernández, A., Constandil, L., Pelissier, T., Nitric oxide synthase and soluble guanylate cyclase are involved in spinal cord wind-up activity of monoarthritic, but not of normal rats, 64
Lauzurica, N., Hurtado, A., Escartí, A., Delgado, M., Barrios, V., Morandé, G., Soriano, J., Jáuregui, I., González-Valdemoro, M.I., García-Camba, E., Fuentes, J.A., Polymorphisms within the promoter and the intron 2 of the serotonin transporter gene in a population of bulimic patients, 226
Law, W., Kelland, E.E., Sharp, P., Toms, N.J., Characterisation of zinc uptake into rat cultured cerebrocortical oligodendrocyte progenitor cells, 113
Lee, H.-H., Kim, H., Lee, M.-H., Chang, H.-K., Lee, T.-H., Jang, M.-H., Shin, M.-C., Lim, B.-V., Shin, M.-S., Kim, Y.-P., Yoon, J.-H., Jeong, I.-G., Kim, C.-J., Treadmill exercise decreases intrastriatal hemorrhage-induced neuronal cell death via suppression on caspase-3 expression in rats, 33
Lee, H.J., see Choi, H.S., 187
Lee, M.-H., see Lee, H.-H., 33
Lee, S.-G., see Choi, H.J., 89

Lee, T.-H., see Lee, H.-H., 33
Lee, Y.M., Park, S.H., Chung, K.C., Oh, Y.J., Proteomic analysis reveals upregulation of calreticulin in murine dopaminergic neuronal cells after treatment with 6-hydroxydopamine, 17
Lehtovirta, M., see Iivonen, S., 146
Levivier, M., see Chtarto, A., 155
Li, S.-Y., Ni, J.-H., Xu, D.-S., Jia, H.-T., Down-regulation of GluR2 is associated with Ca^{2+}-dependent protease activities in kainate-induced apoptotic cell death in culturd rat hippocampas neurons, 105
Liebmann, P., see Quasthoff, S., 93
Lim, B.-V., see Lee, H.-H., 33
Link, H., see Gomes, A.C., 101
Liu, W., see Yan, P.G., 183
Lo, Y.L., Fook-Chong, S., Lau, D.P.C., Tan, E.K., Cortical excitability changes associated with musical tasks: a transcranial magnetic stimulation study in humans, 85
Lucarelli, P., Piciullo, A., Verdecchia, M., Palmarino, M., Arpino, C., Curatolo, P., The role of − 850 tumor necrosis factor-α and apolipoprotein E genetic polymorphism in patients with Down's syndrome-related dementia, 29

Ma, L., see Jiang, Y., 216
MacDermott, A.B., see Labrakakis, C., 121
Mann, D.M.A., see Tian, J., 137
Mannermaa, A., see Iivonen, S., 146
Mareš, P., see Doczi, J., 125
Matsumura, A., see Tanaka, M., 159
Matsuura-Nakao, K., see Ohishi, H., 5
Matsuzaki, R., see Ohishi, H., 5
Maurer, P., see Kotchoubey, B., 129
McCleane, G., Koch, B., Rauschkolb, C., Does SPM 927 have an analgesic effect in human neuropathic pain? An open label study, 117
Melon, D.E., see Okonkwo, D.O., 97
Mena-Segovia, J., see Vargas-Pérez, H., 81
Mercik, K., Pytel, M., Mozrzymas, J.W., Recombinant $\alpha1\beta2\gamma2$ $GABA_A$ receptors expressed in HEK293 and in QT6 cells show different kinetics, 195
Micó, J.A., see Gutiérrez, M., 37
Michael, G.A., Jacquot, L., Millot, J.-L., Brand, G., Ambient odors modulate visual attentional capture, 221
Millot, J.-L., see Michael, G.A., 221
Mishra, O.P., see Fritz, K.I., 211
Miyazaki, I., see Asanuma, M., 13
Miyoshi, K., see Asanuma, M., 13
Mizokawa, S., see Tanaka, M., 159
Mizuno, Y., Takeuchi, T., Takatama, M., Okamoto, K., Expression of nestin in Purkinje cells in patients with Creutzfeldt-Jakob disease, 109
Montarras, D., see Praud, C., 70
Morandé, G., see Lauzurica, N., 226
Mori, A., see Quasthoff, S., 93
Mori, A., see Shindou, T., 167
Morris, C.M., O'Brien, K.K., Gibson, A.M., Hardy, J.A., Singleton, A.B., Polymorphism in the human DJ-1 gene is not associated with sporadic dementia with Lewy bodies or Parkinson's disease, 151
Morris, M., see Gomes, A.C., 101
Mozrzymas, J.W., see Mercik, K., 195
Murata, Y., see Onda, A., 49

Näätänen, R., see Peltola, M.S., 25
Nakamura, F., see Tanaka, M., 159
Namura, S., see Inoue, H., 203
Narita, M., Ozaki, S., Narita, M., Ise, Y., Yajima, Y., Suzuki, T., Change in the expression of *c-fos* in the rat brain following sciatic nerve ligation, 231
Narita, M., see Narita, M., 231
Nelovkov, A., Philips, M.-A., Kõks, S., Vasar, E., Rats with low exploratory activity in the elevated plus-maze have the increased expression of limbic system-associated membrane protein gene in the periaqueductal grey, 179
Németh, L., see Veszelka, S., 57
Ni, J.-H., see Li, S.-Y., 105
Nozaki, S., see Tanaka, M., 159

O'Brien, K.K., see Morris, C.M., 151
Obál, I., see Veszelka, S., 57
Ogawa, N., see Asanuma, M., 13
Oh, Y.J., see Lee, Y.M., 17
Ohishi, H., Ichikawa, J., Matsuzaki, R., Kyuhou, S.-i., Matsuura-Nakao, K., Seki, T., Gemba, H., Cortical field potentials preceding self-paced forelimb movements and influences of cerebellectomy upon them in rats, 5
Okada, T., see Uchiyama, Y., 199
Okamoto, K., see Mizuno, Y., 109
Okonkwo, D.O., Wagner, J., Melon, D.E., Alden, T., Stone, J.R., Helm, G.A., Jane Sr., J.A., Trans-sodium crocetinate increases oxygen delivery to brain parenchyma in rats on oxygen supplementation, 97
Olmarker, K., see Onda, A., 49
Onda, A., Murata, Y., Rydevik, B., Larsson, K., Kikuchi, S., Olmarker, K., Immunoreactivity of brain-derived neurotrophic factor in rat dorsal root ganglion and spinal cord dorsal horn following exposure to herniated nucleus pulposus, 49
Ortega-Álvaro, A., see Gutiérrez, M., 37
Osada, S., see Inoue, H., 203
Ozaki, S., see Narita, M., 231

Palmarino, M., see Lucarelli, P., 29
Park, J.S., see Choi, H.S., 187
Park, S.H., see Lee, Y.M., 17
Parnpiansil, P., Jutapakdeegul, N., Chentanez, T., Kotchabhakdi, N., Exercise during pregnancy increases hippocampal brain-derived neurotrophic factor mRNA expression and spatial learning in neonatal rat pup, 45
Pázmány, T., see Veszelka, S., 57
Pelissier, T., see Laurido, C., 64
Peltola, M.S., Kujala, T., Tuomainen, J., Ek, M., Aaltonen, O., Näätänen, R., Native and foreign vowel discrimination as indexed by the mismatch negativity (MMN) response, 25
Philips, M.-A., see Nelovkov, A., 179
Piciullo, A., see Lucarelli, P., 29
Pinset, C., see Praud, C., 70
Pirker, S., see Furtinger, S., 141
Plagemann, A., see Harder, T., 163
Pojer, C., see Quasthoff, S., 93
Praud, C., Montarras, D., Pinset, C., Sebille, A., Dose effect relationship between the number of normal progenitor muscle cells grafted in mdx mouse skeletal striated muscle and the number of dystrophin-positive fibres, 70
Putheti, P., see Gomes, A.C., 101
Pytel, M., see Mercik, K., 195

Qiu, Y., Wu, X.-J., Chen, H.-Z., Simultaneous changes in secretory amyloid

precursor protein and β-amyloid peptide release from rat hippocampus by activation of muscarinic receptors, 41
Quasthoff, S., Pojer, C., Mori, A., Hofer, D., Liebmann, P., Kieseier, B.C., Schreibmayer, W., No blocking effects of the pentapeptide QYNAD on Na^+ channel subtypes expressed in Xenopus oocytes or action potential conduction in isolated rat sural nerve, 93

Rauschkolb, C., see McCleane, G., 117
Richardson, P.J., see Shindou, T., 167
Riess, O., see Felletschin, B., 53
Rydevik, B., see Onda, A., 49

Sadato, N., see Uchiyama, Y., 199
Sartori, G., see Semenza, C., 73
Sato, C., see Tanosaki, M., 1
Satoh, J.-i., see Yukitake, M., 171
Schmalohr, D., see Kotchoubey, B., 129
Schreibmayer, W., see Quasthoff, S., 93
Sebille, A., see Praud, C., 70
Seki, T., see Ohishi, H., 5
Semenza, C., Sartori, G., D'Andrea, J., He can tell which master craftsman blew a Venetian vase, but he can not name the Pope: a patient with a selective difficulty in naming faces, 73
Sharp, P., see Law, W., 113
Shi, J., see Tian, J., 137
Shimada, M., see Tanosaki, M., 1
Shin, M.-C., see Lee, H.-H., 33
Shin, M.-S., see Lee, H.-H., 33
Shindou, T., Richardson, P.J., Mori, A., Kase, H., Ichimura, M., Adenosine modulates the striatal GABAergic inputs to the globus pallidus via adenosine A_{2A} receptors in rats, 167
Siedentopf, C., see Weiss, E.M., 191
Singleton, A.B., see Morris, C.M., 151
Soininen, H., see Iivonen, S., 146
Sommer, U., see Felletschin, B., 53
Song, W.-J., see Inagaki, S., 9
Soriano, J., see Lauzurica, N., 226
Sperk, G., see Furtinger, S., 141
Spiegel, J., see Felletschin, B., 53
Stawiarz, L., see Gomes, A.C., 101
Stone, J.R., see Okonkwo, D.O., 97
Suzuki, T., see Narita, M., 231
Szabó, G., see Veszelka, S., 57

Takatama, M., see Mizuno, Y., 109
Takeuchi, T., see Mizuno, Y., 109
Tan, E.K., see Lo, Y.L., 85
Tanaka, M., Nakamura, F., Mizokawa, S., Matsumura, A., Nozaki, S., Watanabe, Y., Establishment and assessment of a rat model of fatigue, 159
Tanosaki, M., Sato, C., Shimada, M., Iguchi, Y., Hoshi, Y., Effect of stimulus frequency on human cerebral hemodynamic responses to electric median nerve stimulation: a near-infrared spectroscopic study, 1
Tenenbaum, L., see Chtarto, A., 155
Tian, J., Shi, J., Bailey, K., Mann, D.M.A., Negative association between amyloid plaques and cerebral amyloid angiopathy in Alzheimer's disease, 137
Toms, N.J., see Law, W., 113
Tsuji, T., see Asanuma, M., 13
Tuomainen, J., see Peltola, M.S., 25

Uchiyama, Y., Ebe, K., Kozato, A., Okada, T., Sadato, N., The neural substrates of driving at a safe distance: a functional MRI study, 199
Umesono, K., see Inoue, H., 203
Urbányi, Z., see Veszelka, S., 57

Van Assche, F.A., see Harder, T., 163
Van Bree, R., see Harder, T., 163
van den Berg, L.H., see Groeneveld, G.J., 175
van Muiswinkel, F.L., see Groeneveld, G.J., 175
Vargas-Pérez, H., Mena-Segovia, J., Giordano, M., Díaz, J.-L., Induction of c-fos in nucleus accumbens in naive male Balb/c mice after wheel running, 81
Vasar, E., see Nelovkov, A., 179
Veldink, J.H., see Groeneveld, G.J., 175
Veldman, H., see Groeneveld, G.J., 175
Velu, T., see Chtarto, A., 155
Verdecchia, M., see Lucarelli, P., 29
Veszelka, S., Urbányi, Z., Pázmány, T., Németh, L., Obál, I., Dung, N.T.K., Ábrahám, C.S., Szabó, G., Deli, M.A., Human serum amyloid P component attenuates the bacterial lipopolysaccharide-induced increase in blood–brain barrier permeability in mice, 57
Világi, I., see Doczi, J., 125

Wagner, J., see Okonkwo, D.O., 97
Wahlund, L.-O., see Zetterberg, H., 67
Walter, U., see Felletschin, B., 53
Watanabe, Y., see Tanaka, M., 159
Weiss, E.M., Siedentopf, C., Hofer, A., Deisenhammer, E.A., Hoptman, M.J., Kremser, C., Golaszewski, S., Felber, S., Fleischhacker, W.W., Delazer, M., Brain activation pattern during a verbal fluency test in healthy male and female volunteers: a functional magnetic resonance imaging study, 191
Wiley, J.L., Sex-dependent effects of Δ^9-tetrahydrocannabinol on locomotor activity in mice, 77
Wokke, J.H.J., see Groeneveld, G.J., 175
Wu, C.F., see Yan, P.G., 183
Wu, X.-J., see Qiu, Y., 41

Xu, D.-S., see Li, S.-Y., 105

Yajima, Y., see Narita, M., 231
Yamashita, N., see Ito, T., 207
Yan, P.G., Wu, C.F., Huang, M., Liu, W., Yang, J.Y., Ascorbic acid antagonizes the inhibitory effect of acute ethanol on nitrite levels in the striatum of freely moving mice, 183
Yang, J.Y., see Yan, P.G., 183
Yang, W., see Jiang, Y., 216
Yoon, J.-H., see Lee, H.-H., 33
Yukitake, M., Satoh, J.-i., Katamine, S., Kuroda, Y., EAAT4 mRNA expression is preserved in the cerebellum of prion protein-deficient mice, 171

Zeiler, B., see Felletschin, B., 53
Zetterberg, H., Wahlund, L.-O., Blennow, K., Cerebrospinal fluid markers for prediction of Alzheimer's disease, 67
Zhou, Y., see Jiang, Y., 216
Zubrow, A.B., see Fritz, K.I., 211